

Hormann general info



The Hormann sectional garage door arrives in crate format with panels stacked facing inwards. Keeps door safe and sound.



Sectional door viewed from inside the garage. Note the double horizontal tracks designed to reduce ceiling height requirement. All adjustable fixings provided for safe and quick installation. Door shown with Hormann Supramatic automation fitted.



Doors available in single skin, 20mm insulated or 42mm insulated. N.B. Single doors only available in white. Colours and Decograin finishes available on insulated doors



Ribbed sectional door shown from front. All Hormann sectional doors come complete with fully finished fixing frame. Usually the fixing frame is fitted directly onto the back of the brick opening, similar to a roller door. All round rubber door seals prevent draughts. Insulated doors also have rubber seals between the panels

Hormann Sizes / Technical

Z



come as standard
on doors upto 10ft

N



come as standard
on doors over 10ft wide

L



(low headroom)
available on doors over
10ft wide, where headroom is
limited.

Spring System	Door Size	Minimum Ceiling Height, if Manual	Minimum Ceiling Height, if Automatic	Side Room Required Either Side of Door Width
Z	width upto 10ft	6'6" door 2100 7' door 2225	2125 2250	90 mm
N	width over 10ft	6'6" door 2210 7' door 2335	2210 2335	90 mm
L	width over 10ft	6'6" door 2100 7' door 2225	2125 2250	90 mm

Hormann Cost Options



Various glazing options available in clear or crystal synthetic panes. Window options on single skin doors are single glazed, double glazed on the insulated doors. Priced per window. Cost per window from £40, please phone 01691 670394 for further details.



Handle only required when door to be manually operated. Doors come without handle or handle hole as many people choose to automate the door. Picture shown is standard black handle, which comes complete with internal locking mechanism. Brass/Chrome options available at extra cost please order in the Accessories section.



Internal die cast lock comes as part of the handle and lock kit. Very sturdy and secure. Not required when automation fitted to the door